



## SAFETY DATA SHEET

Magnesium Test Kit

Page 1 of 16

Date of issue: 30/07/2017

Date of revision: 30/07/2017

Version no.: 1

### **SECTION 1: Identification of the substance/mixture and of the company/undertaking**

#### **1.1 Product identifier**

Product name: Magnesium Test Kit

Product code: R21485

#### **1.2 Relevant identified uses of the substance or mixture and uses advised against**

Aquarium water quality test kit.

#### **1.3 Details of the supplier of the safety data sheet**

Red Sea Fish Pharm Ltd Free  
Trade Industrial Zone Eilat 88000  
Israel  
Tel: +972-9-9567107

**E-mail address of person responsible for this SDS:** [sharonr@redseafish.co.il](mailto:sharonr@redseafish.co.il)

#### **1.4 Emergency telephone number**

**Emergency telephone number (with hours of operation):** N/A

### **SECTION 2: Hazards identification**

#### **2.1 Classification of the substance or mixture**

**Classification according to 29 CFR 1910.1200 (OSHA HCS):**

Magnesium test kit

<u>Reagent A</u>	<u>Reagent B</u>	<u>Reagent C</u>
Met. Corr. 1 H290 Skin Corr. 1A H314 Acute Tox. 4 H302, H312	Not classified	Not classified

**Classification in accordance to Regulation (EC) No. 1272/2008 (CLP):**

Magnesium test kit

<u>Reagent A</u>	<u>Reagent B</u>	<u>Reagent C</u>
Met. Corr. 1 H290 Skin Corr. 1A H314 Acute Tox. 4 H302, H312	Not classified	Not classified

See section 16 for the full text of the H-statements declared above.

**2.2 Label elements****Labelling according to 29 CFR 1910.1200 (OSHA HCS)**Magnesium test kit - Reagent AHazard pictogram(s):Signal word: DangerHazard statement(s):

H290: May be corrosive to metals.

H314: Causes severe skin burns and eye damage. H302:

Harmful if swallowed.

H312: Harmful in contact with skin.

Precautionary Statement(s):

P102: Keep out of reach of children. 234:

Keep only in original container.

P260: Do not breathe dust/fume/gas/mist/vapours/spray. P264:

Wash skin thoroughly after handling.

P280: Wear protective gloves/ protective clothing/ eye protection/ face protection. P301 +

P330 + P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353: IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P304 + P340 + P310 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/ physician.

P363: Wash contaminated clothing before reuse.

Magnesium test kit - Reagent BHazard pictogram(s): Not requiredSignal word: Not requiredHazard statement(s): Not requiredPrecautionary Statement(s): Not requiredMagnesium test kit - Reagent CHazard pictogram(s): Not requiredSignal word: Not requiredHazard statement(s): Not requiredPrecautionary Statement(s): Not required

**Labelling in accordance with Regulation 1272/2008 (CLP)**Magnesium test kit - Reagent AHazard pictogram(s):Signal word: DangerHazard statement(s):

H290: May be corrosive to metals.

H314: Causes severe skin burns and eye damage. H302:

Harmful if swallowed.

H312: Harmful in contact with skin.

Precautionary Statement(s):

P102: Keep out of reach of children. P234:

Keep only in original container.

P260: Do not breathe dust/fume/gas/mist/vapours/spray. P264:

Wash skin thoroughly after handling.

P280: Wear protective gloves/ protective clothing/ eye protection/ face protection. P301 +

P330 + P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353: IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P304 + P340 + P310 IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/ physician.

P363: Wash contaminated clothing before reuse.

Magnesium test kit - Reagent BHazard pictogram(s): Not requiredSignal word: Not requiredHazard statement(s): Not requiredPrecautionary Statement(s): Not requiredMagnesium pro test kit - Reagent CHazard pictogram(s):Hazard pictogram(s): Not requiredSignal word: Not requiredHazard statement(s): Not requiredPrecautionary Statement(s): Not required

## SAFETY DATA SHEET

Magnesium Test Kit

Page 4 of 16

### **2.3 Other hazard**

Not available

## **SECTION 3: Composition/information on ingredients**

### **3.2 Mixtures:**

Magnesium pro test kit - Reagent A

Substance name	Identifiers	%	CLP Classification	OSHA HCS Classification
Sodium tetraborate decahydrate *	CAS number: 1303-96-4 EC number: 215-540-4 (anhydrous)	1-5	Repr. 1B H360FD	Repr. 1B H360FD
Potassium hydroxide	CAS number: 1310-58-3 EC number: 215-181-3	1-5	Acute Tox. 4 H302 Skin Corr. 1A H314	Acute Tox. 4 H302 Skin Corr. 1A H314
Oxalic acid	CAS number: 144-62-7 EC number: 205-634-3	1-5	Acute Tox. 4 H302, H312	Acute Tox. 4 H302, H312

\* Included in the Candidate List of Substances of Very High Concern (SVHC) according to Regulation (EC) No. 1907/2006 (REACH), toxic for reproduction (article 57c).

Magnesium pro test kit - Reagent B

No components need to be reported according to the applicable regulations.

Magnesium pro test kit - Reagent C

No components need to be reported according to the applicable regulations.

**There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.**

**Occupational exposure limits, if available, are listed in section 8.**

## **SECTION 4: First aid measures**

### **4.1 Description of first aid measures**

**Eyes contact:** In case of contact with eyes, rinse immediately with plenty of water for at least 15 minutes. Get medical attention.

## SAFETY DATA SHEET

- Skin contact:** Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Get medical attention.
- Inhalation:** Remove the victim from site of exposure to fresh air. If breathing is difficult, give oxygen. If not breathing give artificial respiration. Get medical attention.
- Ingestion:** **Do not induce vomiting.** If victim is conscious, wash mouth thoroughly with plenty of water. Never give anything by mouth to an unconscious person. Get medical attention.

#### **4.2 Most important symptoms and effects, both acute and delayed**

See section 2.2 (Label elements) and/or section 11 (Toxicological information) for the most important known symptoms and effects.

#### **4.3 Indication of any immediate medical attention and special treatment needed**

Not available

---

### **SECTION 5: Fire-fighting measures**

---

#### **5.1 Extinguishing media**

Suitable: Use extinguishing media suitable to the surroundings such as, dry chemical powder, chemical foam, water spray and carbon dioxide.

Not suitable: N/A

#### **5.2 Special hazards arising from the substance or mixture**

The reagents tend to be water based and are not combustible or explosive. When heated sufficiently, product may decompose to form smoke and toxic fumes, gases or vapours that may cause dizziness.

#### **5.3 Advice for firefighters**

**Special protective equipment for fire fighters:** Fire fighters should wear full protective clothing and self-contained breathing apparatus in positive pressure mode.

---

### **SECTION 6: Accidental release measures**

---

#### **6.1 Personal precautions, protective equipment and emergency procedures**

Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Ventilate area of spill.

#### **6.2 Environmental precautions**

Prevent entry into waterways, sewers, basements or confined areas.

#### **6.3 Methods and materials for containment and cleaning up**

For liquid: Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations.

For solid: Pick up and place in a suitable container for reclamation or disposal, using a method that does not generate dust.

#### **6.4 Reference to other sections**

See Section 1 for emergency contact information.

## SAFETY DATA SHEET

### SECTION 7: Handling and storage

#### **7.1 Precautions for safe handling**

Avoid contact with skin and eyes. Avoid inhalation of vapors, mist or gas. Wash thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice.

Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also section 8 for additional information measures.

#### **7.2 Conditions for safe storage, including any incompatibilities**

**Storage:** Keep only in original container. Avoid large temperature changes and store in a cool, dry, well ventilated environment and away from direct sunlight. Keep containers closed when not in use. Keep away from acids, alkalis, oxidizing compounds and metals.

#### **7.3 Specific end use(s):** N/A

### SECTION 8: Exposure control/personal protection

#### **8.1 Control parameters**

Substance name	Occupational exposure limits
Sodium hydroxide	ACGIH-TLV 2 mg/m <sup>3</sup> (CEIL) OSHA-PEL 2 mg/m <sup>3</sup> (TWA) NIOSH-REL 2 mg/m <sup>3</sup> (CEIL), 15M
Sodium tetraborate decahydrate	ACGIH-TLV 2 mg/m
Potassium hydroxide	ACGIH-TLV 2 mg/m <sup>3</sup> (CEIL) NIOSH-REL 2 mg/m <sup>3</sup> (TWA)
Oxalic acid	ACGIH-TLV 1 mg/m <sup>3</sup> (TWA), 2 mg/m <sup>3</sup> (STEL) OSHA-PEL 1 mg/m <sup>3</sup> (TWA) NIOSH-REL 1 mg/m <sup>3</sup> (TWA), 2 mg/m <sup>3</sup> (STEL)

#### **8.2 Exposure controls**

##### Engineering measures

Use process enclosures, local exhaust ventilation, or others engineering controls to keep airborne levels below recommend exposure limits. If user operations generate dust, fume or mist, use ventilation to keep exposure to airborne contaminants below the exposure limit.

##### Person protective measures

**Respiratory protection:** Disposable particulate mask. Be sure to use an approved/certified equipment or equivalent equipment. Wear appropriate respirator when ventilation is inadequate.

**Hand protection:** Wear protective gloves to prevent skin exposure.

## SAFETY DATA SHEET

Magnesium Test Kit

Page 7 of 16

Eye protection: Wear protective safety glasses.

Skin protection: Wear appropriate long-sleeved clothing to minimize skin contact.

During normal non-professional use of the chemical kit no personal protective equipment is required. However, in case of manufacture or spillage, use as appropriate to the size of the spill.

Environmental exposure controls: Not available

### SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

##### Magnesium pro test kit

	<u>Reagent A</u>	<u>Reagent B</u>	<u>Reagent C</u>
Appearance:	colorless liquid	dark red liquid	colorless liquid
Odour:	none	none	none
Odour threshold:	N/A	N/A	N/A
pH:	11	N/A	N/A
Melting point/Freezing point:	N/A	N/A	N/A
Initial boiling point/boiling range:	N/A	N/A	N/A
Flash point:	N/A	N/A	N/A
Evaporation rate:	N/A	N/A	N/A
Flammability:	non-combustible	non-combustible	non-combustible
Upper/lower flammability or explosive limits:	N/A	N/A	N/A
Vapor pressure:	N/A	N/A	N/A
Vapor density:	N/A	N/A	N/A
Relative Density:	N/A	N/A	N/A
Solubility(ies):	completely soluble to give an alkaline solution	completely soluble to give an neutral solution	completely soluble to give an alkaline solution
Partition coefficient Octanol/Water:	N/A	N/A	N/A
Auto-ignition temperature:	N/A	N/A	N/A
Decomposition temperature:	N/A	N/A	N/A
Viscosity:	N/A	N/A	N/A
Explosive properties:	N/A	N/A	N/A
Oxidizing properties:	N/A	N/A	N/A

#### 9.2 Other information

Not available

### SECTION 10: Stability and reactivity

#### 10.1 Reactivity

Not available.

#### 10.2 Chemical stability

The product is stable under normal handling and storage conditions described in Section 7.

#### 10.3 Possibility of hazardous reactions

Hazardous reactions are not expected, under normal conditions of storage and use.

#### 10.4 Conditions to avoid

Long term exposure to heat and direct sunlight.



## SAFETY DATA SHEET

Magnesium Test Kit

Page 8 of 16

---

### **10.5 Incompatible materials**

Acids, alkalis, oxidising compounds and metals. May produce heat.

### **10.6 Hazardous decomposition products**

Other decomposition products: not available  
In the event of fire: see section 5



## SAFETY DATA SHEET

Magnesium Test Kit

Page 9 of 16

### SECTION 11: Toxicological information

#### **11.1 Information on toxicological effects**

Acute toxicity:

Product/substance name	Test	Species	Dose
Potassium hydroxide	LD50, Oral	Rat	273 mg/kg
Sodium tetraborate decahydrate	LD50, Oral	Rat	2660 mg/Kg

Skin corrosion/irritation: Not available

Serious eye damage/irritation: Not available

Respiratory or skin sensitization: Not available

Germ cell mutagenicity: No compounds present in the reagents have been identified as having carcinogenic, mutagenic properties.

Carcinogenicity: No compounds present in the reagents have been identified as having carcinogenic, mutagenic properties.

Reproductive toxicity: Magnesium pro test kit - Reagent A contains sodium tetraborate decahydrate, but at levels below the threshold for classification. This compound has been found to have effects on reproduction and fertility.

Specific target organ toxicity (single exposure): Not available

Specific target organ toxicity (repeated exposure): Not available

Aspiration hazard: Not available

Other effects:

Magnesium test kit - Reagent A is classified as corrosive due to presence of potassium hydroxide that may will cause local damage in contact with tissue of the eyes and skin. Inhalation of spray or mist will irritate the respiratory system and ingestion will damage the linings of the mouth, throat and gastro-intestinal tract.

### SECTION 12: Ecological information

#### **12.1 Toxicity**

Not available

#### **12.2 Persistence and Degradability**

Not available

#### **12.3 Bioaccumulative potential**

Compounds present in the reagents would be readily bio-degradable in the environment.

#### **12.4 Mobility in soil**

Though there is no specific information on the mobility of compounds in the reagents, they are soluble under normal environmental conditions in water so would also be expected to be highly mobile in soil.

#### **12.5 Results of PBT and vPvB assessment**

Not available

#### **12.6 Other adverse effects**

Not available

### SECTION 13: Disposal considerations

## SAFETY DATA SHEET

Magnesium Test Kit

Page 10 of 16

### **13.1 Waste treatment methods**

#### **Product**

Waste must be disposed of in accordance with federal, state and local environmental control regulations.

#### **Packing**

Empty containers should be taken for local recycling, recovery or waste disposal.

---

## **SECTION 14: Transport information**

---

### **14.1 Un number**

ADR/RID: 3316

IMDG: 3316

IATA: 3316

DOT (US): 3316

### **14.2 UN proper shipping name**

ADR/RID: CHEMICAL KIT

IMDG: CHEMICAL KIT

IATA: Chemical kit

DOT (US): Chemical kit

### **14.3 Transport hazard class(es)**

ADR/RID: 9

IMDG: 9

IATA: 9

DOT (US): 9

### **14.4 Packing group**

ADR/RID: II

IMDG: -

IATA: -

DOT (US): -

### **14.5 Environmental hazard**

ADR/RID: -

IMDG: -

IATA: -

DOT (US): -

### **14.6 Special precautions for user**

Not available

### **14.7 Transport to bulk according to Annex II of MARPOL 73/78 and the IBC Code**

Not available

---

## **SECTION 15: Regulatory information**

---

This SDS complies with the following requirements of:

EU Directives 67/548/EEC (DSD) and 1999/45/EC (DPD), including amendments

EU Regulation (EC) No.1907/2006 (REACH) including amendments

Regulation (EC) No.1272/2008 (CLP)

29 CFR 1910.1200 (OSHA HCS)

### **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

California Prop. 65 Components

Chemicals known to the state to cause reproductive toxicity:

Ethylene glycol (ingested) CAS 107-21-1

TSCA inventory

All components of the product are listed in the TSCA inventory.

### **15.2 Chemical safety assessment**

Not available

## SAFETY DATA SHEET

### NFPA Rating

Reactivity Hazard: 0

#### Magnesium pro test kit

<u>Reagent A</u>	<u>Reagent B</u>	<u>Reagent C</u>
Health hazard: 3	Health hazard: 0	Health hazard: 0
Fire Hazard: 0	Fire Hazard: 0	Fire Hazard: 0
Reactivity Hazard: 0	Reactivity Hazard: 0	Reactivity Hazard: 0

### Full text of Hazards Statements referred to in sections 2 and 3:

Skin Corr. - Skin corrosion  
Met. Corr. - Substance or mixture corrosive to metals  
Acute Tox. - Acute toxicity  
Eye Irrit.- Eye irritation  
STOT SE - Specific target organ toxicity — single exposure  
Repr. - Reproductive toxicity  
Skin Irrit. - Skin irritation  
H290: May be corrosive to metals.  
H302: Harmful if swallowed.  
H312: Harmful in contact with skin.  
H314: Causes severe skin burns and eye damage.  
H315: Causes skin irritation.  
H319: Causes serious eye irritation.  
H335: May cause respiratory irritation.  
H360FD: May damage fertility. May damage the unborn child.

Training advice: Before using/handling the product one must read carefully present SDS.

#### Key Legend Information:

CAS - Chemical Abstract Service  
ACGIH - American Conference of Governmental Industrial Hygienists  
OSHA - Occupational Safety and Health Administration  
NTP - National Toxicology program  
IARC - International Agency for Research on Cancer  
N/A - Not available  
R-phrases- Risk phrases  
H-statements- Hazard statements  
TLV - Threshold Limit Value TWA -  
Time-weighted average STEL -  
Short-Term Exposure Limit CSA -  
Chemical safety assessment  
TSCA - United States Toxic Substances Control Act Inventory



## SAFETY DATA SHEET

Magnesium Test Kit

Page 12 of 16

Date of issue: 03/08/2015

Version no.: 1

This SDS and the information presented within it are based on data held by Hazmat, Ltd. and the current legislation as at the date stated on it. Anyone wishing to make use of the information presented within this document is obligated to update its instructions from time to time. The information presented in the SDS is based on the manufacturer's data and/ or the supplier of the substance/ product which is the subject of this SDS, as provided to Hazmat, Ltd. by the client and in the absence of such data the information was taken from a variety of literary professional sources. The information presented in this SDS is appropriate for the uses specified in paragraph 1 of the SDS only. It is emphasized, that the information specified in this SDS does not replace specific safety instructions for uses of the substance/ product which is the subject of this SDS, which were not explicitly specified in the SDS. Individual professional consultation should be received, and specific safety instructions should be read prior to any mixing of the substance which is the subject of this SDS with other substances and the stated in this SDS does not cover the entire safety instructions relating to mixing the substance which is the subject of this SDS with other substances and does not constitute a replacement to obtaining specific consultation as stated. Hazmat, Ltd. is not liable to any damage and/ or any loss, financial or otherwise, and will not accept responsibility, directly or indirectly, to damages of any kind, including as a result of failure to update and/ or misunderstanding and/ or misuse/ misinterpretation of the information within the document. Any question arising regarding the use of the SDS should be directed to Hazmat, Ltd., 19 Ha'Melacha st. Rosh Ha'Ayin, Tel: +972-3-9037141, fax: +972-3-9032717, email: [hazmat@hazmat.co.il](mailto:hazmat@hazmat.co.il). The information detailed in this SDS was prepared by Hazmat, Ltd. for the orderer of the SDS and is for their use only. The contents of this SDS is the property of Hazmat, Ltd. only and it is strictly prohibited to copy, modify, edit, distribute, sell or take any other action which involves infringement of Hazmat's copyrights without the prior written consent of Hazmat, Ltd.