



SAFETY DATA SHEET

KH/Alkalinity Pro Reef Test Kit and refill

Page 1 of 9

Date of issue: 30/07/2015

Date of revision: 17/08/23

Version no.: 2

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Product name: KH/Alkalinity Pro Reef Test Kit and refill

Product code: R21410: R21411

Relevant identified uses of the substance or mixture and uses advised against
Aquarium water quality test kit.

1.2 Details of the supplier of the safety data sheet

Red Sea Fish Pharm Ltd
Free Trade Industrial Zone
Eilat 88000
Israel
Tel: +972-9-9567107

E-mail address of person responsible for this SDS: sharonr@redseafish.com

1.3 Emergency telephone number

Emergency telephone number (with hours of operation): N/A

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to 29 CFR 1910.1200 (OSHA HCS):

Alkalinity pro test kit

Acute Tox. 4 H302

Classification in accordance to Regulation (EC) No. 1272/2008 (CLP):

Alkalinity pro test kit

Acute Tox. 4 H302

See section 16 for the full text of the H-statements declared above.

2.2 Label elements

Labelling according to 29 CFR 1910.1200 (OSHA HCS)

SAFETY DATA SHEET

KH/Alkalinity Pro Reef Test Kit and refill

Page 2 of 9

Alkalinity pro test kit

Hazard pictogram(s):



Signal word: Warning

Hazard statement(s):

H302: Harmful if swallowed.

Precautionary Statement(s):

P102: Keep out of reach of children.

P270: Do not eat, drink or smoke when using this product.

Labelling in accordance with Regulation 1272/2008 (CLP)

Alkalinity pro test kit

Hazard pictogram(s):



Signal word: Warning

Hazard statement(s):

H302: Harmful if swallowed.

Precautionary Statement(s):

P102: Keep out of reach of children.

P270: Do not eat, drink or smoke when using this product.

2.3 Other hazard

Not available

SECTION 3: Composition/information on ingredients

3.2 Mixtures:



SAFETY DATA SHEET

KH/Alkalinity Pro Reef Test Kit and refill

Page 3 of 9

Alkalinity pro test kit

Substance name	Identifiers	%	CLP Classification	OSHA HCS Classification
Mono ethylene glycol	CAS number: 107-21-1 EC number: 203-473-3	50-75	Acute Tox. 4 H302	Acute Tox. 4 H302
Hydrochloric acid	CAS number: 7647-01-0 EC number: 231-595-7	<1	Skin Corr. 1B H314 STOT SE 3 H335	Skin Corr. 1B H314 STOT SE 3 H335

* Included in the Candidate List of Substances of Very High Concern (SVHC) according to Regulation (EC) No. 1907/2006 (REACH), toxic for reproduction (article 57c).

See section 16 for the full text of the H-statements declared above.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in section 8.

SECTION 4: First aid measures

4.1 Description of first aid measures

Eyes contact: In case of contact with eyes, rinse immediately with plenty of water for at least 15 minutes. Get medical attention.

Skin contact: Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Get medical attention.

Inhalation: Remove the victim from site of exposure to fresh air. If breathing is difficult, give oxygen. If not breathing give artificial respiration. Get medical attention.

Ingestion: **Do not induce vomiting.** If victim is conscious, wash mouth thoroughly with plenty of water. Never give anything by mouth to an unconscious person. Get medical attention.

4.2 Most important symptoms and effects, both acute and delayed

See section 2.2 (Label elements) and/or section 11 (Toxicological information) for the most important known symptoms and effects.

4.3 Indication of any immediate medical attention and special treatment needed

Not available

SECTION 5: Fire-fighting measures

5.1 Extinguishing media

Suitable: Use extinguishing media suitable to the surroundings such as, dry chemical powder, chemical foam, water spray and carbon dioxide.

Not suitable: N/A

5.2 Special hazards arising from the substance or mixture

The reagents tend to be water based and are not combustible or explosive. When heated sufficiently, product may decompose to form smoke and toxic fumes, gases or vapours that may cause dizziness.

5.3 Advice for firefighters

Special protective equipment for fire fighters: Fire fighters should wear full protective clothing and self-contained breathing apparatus in positive pressure mode.



SAFETY DATA SHEET

KH/Alkalinity Pro Reef Test Kit and refill

Page 4 of 9

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Ventilate area of spill.

6.2 Environmental precautions

Prevent entry into waterways, sewers, basements or confined areas.

6.3 Methods and materials for containment and cleaning up

For liquid: Contain spillage, and then collect with non-combustible absorbent material, (e.g. sand, earth, diatomaceous earth, vermiculite) and place in container for disposal according to local / national regulations. For solid: Pick up and place in a suitable container for reclamation or disposal, using a method that does not generate dust.

6.4 Reference to other sections

See Section 1 for emergency contact information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapors, mist or gas. Wash thoroughly after handling. Handle in accordance with good industrial hygiene and safety practice. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Remove contaminated clothing and protective equipment before entering eating areas. See also section 8 for additional information measures.

7.2 Conditions for safe storage, including any incompatibilities

Storage: Keep only in original container. Avoid large temperature changes and store in a cool, dry, well ventilated environment and away from direct sunlight. Keep containers closed when not in use. Keep away from acids, alkalis, oxidizing compounds and metals.

7.3 Specific end use(s): N/A

SECTION 8: Exposure control/personal protection

8.1 Control parameters

Substance name	Occupational exposure limits
Mono ethylene glycol	ACGIH-TLV 100 mg/m ³ (CEIL), aerosol
Hydrochloric acid	ACGIH-TLV 2 ppm (CEIL) OSHA-PEL 5 ppm (CEIL) NIOSH-REL 5 ppm (CEIL)

8.2 Exposure controls

Engineering measures

Use process enclosures, local exhaust ventilation, or others engineering controls to keep airborne levels below recommend exposure limits. If user operations generate dust, fume or mist, use ventilation to keep exposure to airborne contaminants below the exposure limit.

Person protective measures

Respiratory protection: Disposable particulate mask. Be sure to use an approved/certified equipment or equivalent equipment. Wear appropriate respirator when ventilation is inadequate.

Hand protection: Wear protective gloves to prevent skin exposure.



SAFETY DATA SHEET

KH/Alkalinity Pro Reef Test Kit and refill

Page 5 of 9

Eye protection: Wear protective safety glasses.

Skin protection: Wear appropriate long-sleeved clothing to minimize skin contact.

During normal non-professional use of the chemical kit no personal protective equipment is required. However, in case of manufacture or spillage, use as appropriate to the size of the spill.

Environmental exposure controls: Not available

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Alkalinity pro test kit

Appearance:	light orange clear liquid
Odour:	none
Odour threshold:	N/A
pH:	N/A
Melting point/Freezing point:	N/A
Initial boiling point/boiling range:	N/A
Flash point:	N/A
Evaporation rate:	N/A
Flammability:	non-combustible
Upper/lower flammability or explosive limits:	N/A
Vapor pressure:	N/A
Vapor density:	N/A
Relative Density:	N/A
Solubility(ies):	completely soluble to give an acidic solution
Partition coefficient Octanol/Water:	N/A
Auto-ignition temperature:	N/A
Decomposition temperature:	N/A
Viscosity:	N/A
Explosive properties:	N/A
Oxidizing properties:	N/A

9.2 Other information

Not available

SECTION 10: Stability and reactivity

10.1 Reactivity

Not available.

10.2 Chemical stability

The product is stable under normal handling and storage conditions described in Section 7.

10.3 Possibility of hazardous reactions

Hazardous reactions are not expected, under normal conditions of storage and use.

10.4 Conditions to avoid

Long term exposure to heat and direct sunlight.

10.5 Incompatible materials

Acids, alkalis, oxidising compounds and metals. May produce heat.



SAFETY DATA SHEET

KH/Alkalinity Pro Reef Test Kit and refill

Page 6 of 9

10.6 Hazardous decomposition products

Other decomposition products: not available

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity:

Product/substance name	Test	Species	Dose
Hydrochloric acid	LC50, Inhalation	Rat	3700 ppm/30M
Sodium tetraborate decahydrate	LD50, Oral	Rat	2660 mg/kg
Potassium hydroxide	LD50, Oral	Rat	273 mg/kg

Skin corrosion/irritation: Not available

Serious eye damage/irritation: Not available

Respiratory or skin sensitization: Not available

Germ cell mutagenicity: No compounds present in the reagents have been identified as having carcinogenic, mutagenic properties.

Carcinogenicity: No compounds present in the reagents have been identified as having carcinogenic, mutagenic properties.

Reproductive toxicity: Not available

Specific target organ toxicity (single exposure): Not available

Specific target organ toxicity (repeated exposure): Not available

Aspiration hazard: Not available

Other effects:

The Alkalinity pro test kit is classified as being harmful due to the levels present of ethylene glycol. Ethylene glycol when ingested can mimic alcohol inebriation followed by nausea, vomiting, abdominal pain, weakness, muscle tenderness, respiratory failure, convulsions, cardiovascular collapse, pulmonary edema, hypocalcemic tetany, and severe metabolic acidosis. Without treatment, death may occur in 8 to 24 hours. Victims who survive the initial toxicity period usually develop renal failure along with brain and liver damage. Exposure to and/or consumption of alcohol may increase toxic effects.

SECTION 12: Ecological information

12.1 Toxicity

Product/substance name	Toxicity to fish
Not available	

12.2 Persistence and Degradability

Not available

12.3 Bioaccumulative potential

Compounds present in the reagents would be readily bio-degradable in the environment.

12.4 Mobility in soil

Though there is no specific information on the mobility of compounds in the reagents, they are soluble under normal environmental conditions in water so would also be expected to be highly mobile in soil.



SAFETY DATA SHEET

KH/Alkalinity Pro Reef Test Kit and refill

Page 7 of 9

12.5 Results of PBT and vPvB assessment

Not available

12.6 Other adverse effects

Not available

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Waste must be disposed of in accordance with federal, state and local environmental control regulations.

Packing

Empty containers should be taken for local recycling, recovery or waste disposal.

SECTION 14: Transport information

14.1 Un number

ADR/RID: 3316

IMDG: 3316

IATA: 3316

DOT (US): 3316

14.2 UN proper shipping name

ADR/RID: CHEMICAL KIT

IMDG: CHEMICAL KIT

IATA: Chemical kit

DOT (US): Chemical kit

14.3 Transport hazard class(es)

ADR/RID: 9

IMDG: 9

IATA: 9

DOT (US): 9

14.4 Packing group

ADR/RID: II

IMDG: -

IATA: -

DOT (US): -

14.5 Environmental hazard

ADR/RID: -

IMDG: -

IATA: -

DOT (US): -



SAFETY DATA SHEET

KH/Alkalinity Pro Reef Test Kit and refill

Page 8 of 9

14.6 Special precautions for user

Not available

14.7 Transport to bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not available

SECTION 15: Regulatory information

This SDS complies with the following requirements of:

EU Directives 67/548/EEC (DSD) and 1999/45/EC (DPD), including amendments

EU Regulation (EC) No.1907/2006 (REACH) including amendments

Regulation (EC) No.1272/2008 (CLP)

29 CFR 1910.1200 (OSHA HCS)

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

California Prop. 65 Components

Chemicals known to the state to cause reproductive toxicity:

Ethylene glycol (ingested) CAS 107-21-1

TSCA inventory

All components of the product are listed in the TSCA inventory.

15.2 Chemical safety assessment

Not available

SECTION 16: Other information

NFPA Rating

Alkalinity pro test kit

Health hazard: 2

Fire Hazard: 0

Reactivity Hazard: 0

Full text of Hazards Statements referred to in sections 2 and 3:

Skin Corr. - Skin corrosion

Met. Corr. - Substance or mixture corrosive to metals

Acute Tox. - Acute toxicity

Eye Irrit.- Eye irritation

STOT SE - Specific target organ toxicity — single exposure

Repr. - Reproductive toxicity

Skin Irrit. - Skin irritation

H290: May be corrosive to metals.

H302: Harmful if swallowed.

H312: Harmful in contact with skin.

H314: Causes severe skin burns and eye damage.

H315: Causes skin irritation.

H319: Causes serious eye irritation.

H335: May cause respiratory irritation.

H360FD: May damage fertility. May damage the unborn child.



SAFETY DATA SHEET

KH/Alkalinity Pro Reef Test Kit and refill

Page 9 of 9

Training advice: Before using/handling the product one must read carefully present SDS.

Key Legend Information:

CAS - Chemical Abstract Service

ACGIH - American Conference of Governmental Industrial Hygienists

OSHA - Occupational Safety and Health Administration

NTP - National Toxicology program

IARC - International Agency for Research on Cancer

N/A - Not available

R-phrases- Risk phrases

H-statements- Hazard statements

TLV - Threshold Limit Value TWA -

Time-weighted average STEL -

Short-Term Exposure Limit CSA -

Chemical safety assessment

TSCA - United States Toxic Substances Control Act Inventory

Date of issue: 03/08/2015

Version no.: 1

This SDS and the information presented within it are based on data held by Hazmat, Ltd. and the current legislation as at the date stated on it. Anyone wishing to make use of the information presented within this document is obligated to update its instructions from time to time. The information presented in the SDS is based on the manufacturer's data and/ or the supplier of the substance/ product which is the subject of this SDS, as provided to Hazmat, Ltd. by the client and in the absence of such data the information was taken from a variety of literary professional sources. The information presented in this SDS is appropriate for the uses specified in paragraph 1 of the SDS only. It is emphasized, that the information specified in this SDS does not replace specific safety instructions for uses of the substance/ product which is the subject of this SDS, which were not explicitly specified in the SDS. Individual professional consultation should be received, and specific safety instructions should be read prior to any mixing of the substance which is the subject of this SDS with other substances and the stated in this SDS does not cover the entire safety instructions relating to mixing the substance which is the subject of this SDS with other substances and does not constitute a replacement to obtaining specific consultation as stated. Hazmat, Ltd. is not liable to any damage and/ or any loss, financial or otherwise, and will not accept responsibility, directly or indirectly, to damages of any kind, including as a result of failure to update and/ or misunderstanding and/ or misuse/ misinterpretation of the information within the document. Any question arising regarding the use of the SDS should be directed to Hazmat, Ltd., 19 Ha'Melacha st. Rosh Ha'Ayin, Tel: +972-3-9037141, fax: +972-3-9032717, email: hazmat@hazmat.co.il.

The information detailed in this SDS was prepared by Hazmat, Ltd. for the orderer of the SDS and is for their use only. The contents of this SDS is the property of Hazmat, Ltd. only and it is strictly prohibited to copy, modify, edit, distribute, sell or take any other action which involves infringement of Hazmat's copyrights without the prior written consent of Hazmat, Ltd.